



深圳市春旺环保科技股份有限公司

SHENZHEN CHUNWANG ENVIRONMENTAL PROTECTION TECHNOLOGY CO., LTD

Web: chun-wang.com Tel: 86-755-89889919 Fax: 86-755-89889903



Protect Your Products' Quality. Extend Its Shelf Life

Shenzhen Chunwang Environmental Protection Technology Co., Ltd



Container Desiccant

Container Desiccant mainly use for reducing the air humidity in container during sea transport or storage. Make sure your cargo arrival in a perfect condition when shipping.

Humidity Absorber

During the container shipment, there is a large difference in temperature and humidity inside the container. The humidity can be moved to approximately 98%.

When the temperature inside the container is lowered, the air will reach the dew point, so the water will condense. This is when fungus, mold and mildew occurs, damaging the goods.






Protect Your Products' Quality. Extend Its Shelf Life

Shenzhen Chunwang Environmental Protection Technology Co., Ltd

Dry Pole



Simple-Safe-Dry-Effective

Reduces humidity

Prevents condensation damage

Environmentally friendly calcium chloride

Size	83×15×3.5cm
Weight	1 kg
Temperature	-20 °C to + 80 °C
20 Feet	6-8pcs
40 Feet	12-14pcs



Protect Your Products' Quality.Extend Its Shelf Life

Shenzhen Chunwang Environmental Protection Technology Co., Ltd

Dry Strip 1kg



Simple-Safe-Dry-Effective

Reduces humidity

Preventes condensation damage

Environmentally friendly calcium chloride

Size	85×15×3.5cm
Weight	1 kg
Temperature	-20 °C to + 80 °C
20 Feet	6-8pcs
40 Feet	12-14pcs



Protect Your Products' Quality.Extend Its Shelf Life

Shenzhen Chunwang Environmental Protection Technology Co., Ltd

Dry Strip 1.4 kg



Simple-Safe-Dry-Effective

Reduces humidity

Preventes condensation damage

Environmentally friendly calcium chloride

Size	193×16×3.5cm
Weight	1.4 kg
Temperature	-20 °C to + 80 °C
20 Feet	4-6pcs
40 Feet	8-10pcs




Protect Your Products' Quality. Extend Its Shelf Life

Shenzhen Chunwang Environmental Protection Technology Co., Ltd

Easy to Install

1. remove from sealed package
2. use hook to hang in the container
3. immediately active!








Protect Your Products' Quality. Extend Its Shelf Life

Shenzhen Chunwang Environmental Protection Technology Co., Ltd

Absorption Rate






Protect Your Products' Quality. Extend Its Shelf Life

Shenzhen Chunwang Environmental Protection Technology Co., Ltd

Packing Details



CODB-91-10	CODC-91-10	CODC-91-14	Qty(pcs)
14	12	8	/ctn
448	768	512	/pellet
5600	9216	6144	20GP
12320	19584	13056	40GP
14560	24480	16320	40HQ